

Work Order ID 74507 - 1



Page 1

Monday, October 03, 2011 2:36:04 PM

Item ID: D6101-005

Accept



Setup Start



Revision ID:

Stop



Item Name: Saddle Billet

Start Date: 9/30/2011 Start Qty: 40.00

Cust Item ID:

Required Date: 10/14/2011 Req'd Qty: 40.00

Customer:

Reference:

Run Start



Approvals:

Process Plan: M.L.J.

Date: 11/10/03

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

D6101

Rev B

0.00

100



PURCHASING

0.00

Purchasing

Memo

Issue P/O: 15094

a) Description: Alluminum billet

b) 5.00" x 8.250" x 2.50" thick

c) Tolerance on all dimensions are +0.030"/-0.000"

d) Grain direction along 5.00" length

e) Material: 7075-T7351 (QQ-A-250/12)

f) Material certification required

110



Receive & Inspect for Damage & Mat'l Certs

0.00

Packaging

Memo

0.00

Packaging

Ensure material certification is attached

11-10-04  
(10)

Rec'd 10/7 (20)

NOTE: Date &amp; initial all entries

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date &amp; initial all entries

**Castle Metals®**

A. M. Castle &amp; Co.

## PACKING SLIP

Page 1 of 1

Shipment No:1009096

<b>Ship From:</b> A. M. Castle & Co. (Canada) Inc. MONTREAL 835-SELKIRK AVENUE POINTE CLAIRE, QUEBEC H9R 3S2		<b>Sold To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA		<b>Ship To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CAN		<b>Deliver To:</b> DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA	
<b>Date Shipped</b> 05-OCT-2011	<b>F.O.B.</b> ORIGIN	<b>Freight Terms</b> Prepaid		<b>Carrier</b> MANITOULIN		<b>BOL No</b> 1009096-2	

<b>Shipment Details</b>	<b>Final Destination Branch - MON</b>
-------------------------	---------------------------------------

Order No	Line No	Item No	Description				
1710268	1	752241.MO	2.5000.PL.7075.T7351.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 8.25 IN ( + .0310/- .0000 IN (GRAIN TO RUN ALONG 5")) X 5 IN ( + .0310/- .0000 IN (GRAIN TO RUN ALONG 5")) - ALUMINUM PLATE SAW SPECIFICATIONS: QQ-A-250/12				
Purchase Order No		Part Number		Ordered Qty		Invoice Qty	
PER RELEASE 15094		YOUR ITEM NUMBER: D6101-005		20.00 PCS		20 PCS	
Details		DO NOT SHIP - HOLD UNTIL ADVISED					
Delivery No.	Mill	Heat Number	Mech Id	PCS	Width (IN)	Length (IN)	Shipped Qty(LBS)
96124321		485604A3		20			213.31

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

## SHIP TO:

CASTLE % CASTLE AEROSPACE  
3050 SOUTH HYDRAULIC  
WICHITA, KS 67216

## SOLD TO:

CAS AERO%AM CASTLE METALS  
ATTN: BOB OHR %ACCTS PAYABLES  
3400 NORTH WOLF ROAD  
FRANKLIN PARK, IL 60131

# KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number  
4172660

CUSTOMER PO NUMBER: 15132		WORK PACKAGE:		CUSTOMER PART NUMBER: 6879 AMC A97075-60		SHIP RUN/LOAD ID: 101636/8	GOV'T CONTRACT NUMBER:
KAISER ORDER NO: 1087324	LINE ITEM: 1	SHIP DATE: 29-SEP-2009	ALLOY: 7075	CLAD: BARE	TEMPER: T7351	PRODUCT DESCRIPTION: Sawed Plate	
WEIGHT SHIPPED: 41304 LB	QUANTITY: 23 PCS EST.	B/L NUMBER: 2024219	GAUGE: 2.5000 IN	DIAMETER/WIDTH: 48.500 IN	LENGTH: 144.500 IN		

### Certified Specifications

AMS 4078/RevG  
ASTM B 209/Rev07  
BSS 7055/RevA  
DPS 4,713/RevAH  
GSS16100/RevG/Amd1

AMS-QQ-A-250/12  
ASTM B 594/Rev06  
CMMP 025/RevS  
EAC MS1011/RevE  
MMS 159/RevN

AMS-STD-2154  
BAC 5439/RevH  
CSTI 006/RevC  
GAMPS 9101/RevB  
PS 21211/RevK

Test Code: 4297

### Test Results

Lot: 479608A2 Cast 268

Drop 23

Ingot 1

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.5 : 71.8 (493 : 495)	59.8 : 60.1 (412 : 414)	11.3 : 11.6

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.9 Min	41.5 Max
(MS/M) :	23.7 Min	24.1 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.10	0.20	1.5	0.03	2.5	0.19	5.7	0.04	0.01	0.02	TOT 0.05

TEST REPORTS AND  
DATA CONFIRMED





# CERTIFIED TEST REPORT

Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

Serial Number  
4172660

Lot: 485604A3 Cast 271 Drop 23 Ingot 2

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.8 : 72.0 (495 : 496)	59.9 : 60.4 (413 : 416)	10.6 : 10.9

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	41.3 Min	41.3 Max
(MS/M) :	24.0 Min	24.0 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.11	0.21	1.5	0.04	2.5	0.20	5.6	0.04	0.01	0.01	TOT 0.05

Lot: 485663A9 Cast 271 Drop 29 Ingot 4

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	70.8 : 73.3 (488 : 505)	58.7 : 62.7 (405 : 432)	10.8 : 11.5

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	39.0 Min	42.0 Max
(MS/M) :	22.6 Min	24.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.09	0.18	1.4	0.04	2.4	0.20	5.7	0.03	0.01	0.01	TOT 0.05



Trentwood Works - Spokane, WA 99215

Phone: (800) 367-2586

## CERTIFIED TEST REPORT

Serial Number

4172660

Lot: 485715A7 Cast 271 Drop 21 Ingot 4

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.4 : 72.4 (492 : 499)	59.2 : 60.9 (408 : 420)	11.2 : 11.4

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	40.9 Min	41.2 Max
(MS/M) :	23.7 Min	23.9 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	
Actual	0.11	0.21	1.5	0.04	2.5	0.19	5.5	0.04	0.01	0.01	TOT	0.05

Lot: 485730A6 Cast 271 Drop 29 Ingot 3

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T7351	LT / 2 (Min:Max)	71.6 : 74.0 (494 : 510)	59.9 : 63.3 (413 : 436)	11.3 : 11.3

(ASTM E1004)

(EN 2004-1)

Conductivity %IACS :	39.3 Min	42.1 Max
(MS/M) :	22.8 Min	24.4 Max

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	
Actual	0.09	0.18	1.4	0.04	2.4	0.20	5.7	0.03	0.01	0.01	TOT	0.05

## ALLOY LIMITS

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075 MIN	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15

Aluminum Remainder



Trentwood Works - Spokane, WA 99215  
Phone: (800) 367-2586

**CERTIFIED TEST REPORT**

Serial Number  
4172660

**TEST NOTES**

7075-T7351 plate 3.501-4.000" thick, if  
ultrasonically inspected, meets requirements of CMMP025 per  
SDR CMMP025-KaiserT-3. 7075-T7351 plate 4.001-5.000" thick,  
if ultrasonically inspected, meets requirements of CMMP025  
per  
SDR CMMP025-KaiserT-2.

Metal represented by this test report was immersion  
ultrasonically tested from one side and meets the Class A  
and Class B requirements of all specifications referenced  
on this test report.

**CERTIFICATION**

KAISER ALUMINUM FABRICATED PRODUCTS, LLC (KAISER) HEREBY CERTIFIES THAT METAL SHIPPED UNDER THIS ORDER WAS MELTED IN THE UNITED STATES OF AMERICA OR A QUALIFYING COUNTRY PER DFARS 225.872-1(s), WAS MANUFACTURED IN THE UNITED STATES OF AMERICA, AND MEETS THE REQUIREMENTS OF DFARS 252.225 FOR DOMESTIC CONTENT. THIS MATERIAL HAS BEEN INSPECTED, TESTED, AND FOUND IN CONFORMANCE WITH THE REQUIREMENTS OF THE APPLICABLE SPECIFICATIONS AS INDICATED HEREIN. ALL METAL WHICH IS SOLUTION HEAT TREATED COMPLIES WITH AMS 2772. ANY WARRANTY IS LIMITED TO THAT SHOWN ON KAISER'S STANDARD GENERAL TERMS AND CONDITIONS OF SALE. TEST REPORTS SHALL NOT BE REPRODUCED EXCEPT IN FULL, WITHOUT THE WRITTEN APPROVAL OF KAISER ALUMINUM FABRICATED PRODUCTS, LLC LABORATORY. THE RECORDING OF FALSE, FICTITIOUS, OR FRAUDULENT STATEMENTS OR ENTRIES ON THE CERTIFICATE MAY BE PUNISHED AS A FELONY UNDER FEDERAL LAW. ISO-9001:2000 CERTIFIED.

**BILL POYNOR, LABORATORIES SUPERVISOR**